

General Lighting | Package

Linear Filament LEDs



Linear Filament LEDs



Linear filament LED for decorative and general lighting bulbs

- Customized designs are available per customer request
- Length: 28, 38, 48, 58, 68mm
- Substrate: Ceramic
- CCT: 2200, 2400, 2700, 3000, 4000, 5000K
- CRI: 80+, 90+

LF312B

[25°C]

CRI	CCT (K)	Luminous Flux (lm)		IF (mA)	Substrate	1V Sorting	Part Number
		Min.	Max.				
80+	2700	110	120	10	Ceramic	-	SPMWH1FC31D52TWTH1

LF423B

[25°C]


CRI	CCT (K)	Luminous Flux (lm)		IF (mA)	Substrate	1V Sorting	Part Number
		Min.	Max.				
80+	2700	220	240	20	Ceramic	-	SPMWH1FC42D52TWTU1

LF622B

[25°C]

CRI	CCT (K)	Luminous Flux (lm)		IF (mA)	Substrate	1V Sorting	Part Number
		Min.	Max.				
80+	2700	210	230	10	Ceramic	-	SPMWH1FC61D59RWTT2

Flexible Filament LEDs



Flexible filament LED for decorative and general lighting bulbs

- Customized designs are available per customer request
- Length: 80, 148, 248, 308mm
- Substrate: Flexible PCB
- CCT: 2200, 2400, 2700, 3000, 4000, 5000K
- CRI: 80+, 90+

LFA26C

[25°C]

CRI	CCT (K)	Luminous Flux (lm)		IF (mA)	Substrate	1V Sorting	Part Number
		Min.	Max.				
84+	2200	260	290	20	FPC	-	SPMWH1FFA2D59RYTS2

LFB54C

[25°C]

CRI	CCT (K)	Luminous Flux (lm)		IF (mA)	Substrate	1V Sorting	Part Number
		Min.	Max.				
84+	2200	500	550	40	FPC	-	SPMWH1FFB4D59RYT42